

Tenveo-U402

4K HDMI Multiviewer Switch

HDMI 4x1 & USB3.0 Multiviewer



4K
30HZ



**HDMI 4x1 and
USB3.0 Multiviewer**



**Remote
Control**



**Wide
Compatibility**

Tenveo U402 is an all-in-one HDMI 4x1 multiviewer and USB 3.0 device. The TEVO-U402 supports up to four HDMI video sources simultaneously and multiple display modes, allowing for flexible and dynamic content presentation tailored to your specific workflow. With support for resolutions up to 4K@30Hz, it delivers stunning image clarity and smooth performance. The integrated USB 3.0 Multiviewer interface ensures high-speed, low-latency video transmission to a computer, making it ideal for streaming, recording, and live broadcasting. This plug-and-play solution simplifies setup and maximizes efficiency.

HDMI Splitter 4 In 1 Out

Tenveo U402 supports up to four HDMI video inputs simultaneously, providing flexible multi-source viewing and management. Distribute four HDMI input signals to one HDMI output with zero latency and no image quality loss. This ensures that the original HD video is faithfully reproduced on all displays with crystal-clear image quality.



Multiple Segmentation Methods and Display Modes

Tenveo U402 offers a range of display configurations, including single-screen, dual-screen, and quad-screen modes. Users can effortlessly switch the display order of the four HDMI input signals using either the IR remote control or the front panel buttons. With 10 selectable display modes, the video splitter allows for quick and flexible adjustments to meet various real-time application requirements, ensuring seamless operation across different use scenarios.



Support Up To 4K/30HZ Resolution

Tenveo U402 supports ultra-high-definition resolutions up to 4K@30Hz, ensuring sharp, clear, and detailed video output for a superior viewing experience. For added convenience, the included IR remote control is equipped with dedicated resolution selection buttons, allowing users to effortlessly switch between 4K, 1080P and 720P output modes. This feature provides enhanced flexibility to accommodate different display devices and application scenarios, ensuring optimal compatibility and performance.



Seamless Switching


Featuring a 4-port seamless switching capability, this advanced HDMI multiviewer ensures fast, smooth, and flicker-free transitions between up to four HDMI input sources. The switching process is instantaneous, with no black screen or waiting time, providing a fluid and uninterrupted viewing experience.

Wide Compatibility

Compatible with a wide range of software platforms, including Polycom, Zoom, Webex, and more. This ensures broad adaptability, making it a versatile solution for diverse applications and environments.



Interface and IR Remote Description



Packaging Accessories

U402 x 1
USB power cable x 1
Remote control x 1
User Manual x 1
USB Type-C Cable x 1

Hotline : 400-1080-686
 Tel : 0086-755-8526-1373
 Email : sales01@tenveo.com
 Address : 9th&13th Floor, Fukang Science & Technology Mansion,
 No.7, Fukang Community, Longhua Street, Shenzhen, China

